

# CHIMEWOOD Series

SPC / VINYL



**olympiatile+stone®**

## CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

ICE



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.ICE.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.ICE.0748.PAD**

17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.ICE.0748.GLUE**

SILVER



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.SIL.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.SIL.0748.PAD**

17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.SIL.0748.GLUE**

LIGHT TAUPE



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.LTP.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.LTP.0748.PAD**

LIGHT GREY



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.LGR.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.LGR.0748.PAD**

**All items shown in this document are part of Olympia's stocking program.** For special orders, please contact your Olympia Tile Sales Representative.

## CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

### BONE



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.BON.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.BON.0748.PAD**

### ALMOND



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.ALM.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.ALM.0748.PAD**

### BEIGE



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.BGE.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.BGE.0748.PAD**

### LIGHT BROWN



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.LBW.0748**

17 x 121 cm (7" x 48")  
SPC with underpad  
**HV.CW.LBW.0748.PAD**

17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.LBW.0748.GLUE**

**All items shown in this document are part of Olympia's stocking program.** For special orders, please contact your Olympia Tile Sales Representative.

## CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

### TAN



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.TAN.0748**

17 x 121 cm (7" x 48")  
SPC with Underpad  
**HV.CW.TAN.0748.PAD**

17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.TAN.0748.GLUE**

### TAUPE



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.TPE.0748**

17 x 121 cm (7" x 48")  
SPC with Underpad  
**HV.CW.TPE.0748.PAD**

17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.TPE.0748.GLUE**

### BROWN



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.BWN.0748**

17 x 121 cm (7" x 48")  
SPC with Underpad  
**HV.CW.BWN.0748.PAD**

17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.BWN.0748.GLUE**

### EXPRESSO



17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.EXP.0748**

17 x 121 cm (7" x 48")  
SPC with Underpad  
**HV.CW.EXP.0748.PAD**

17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.EXP.0748.GLUE**

**All items shown in this document are part of Olympia's stocking program.** For special orders, please contact your Olympia Tile Sales Representative.

## CHIMEWOOD Series - SPC/Vinyl (Matte Finish)

### ANTHRACITE



The Chimewood Collection is our signature luxury vinyl tile flooring that features authentic design, natural color, and realistic texture that recreates the beauty of real hardwood.



The collection is Floorscore certified for low VOC providing an environmentally friendly option for flooring applications both commercial and residential.

The collection (except Glued Down LVT) features a Unilin hinge to ensure a seamless water proof installation.

The UV Coating (UV Surface Protection) Layer strengthens abrasion and scratch resistance of the floor surface; uniforms the gloss level; strengthens the function of the waterproof and resistance to dirt; and protects colour from light.

The 0.5 mm Wear Layer ensures abrasion strength, increasing product life of use.

---

**\*\*\*SOLD per BOX only\*\*\***


17 x 121 cm (7" x 48")  
SPC without underpad  
**HV.CW.ATR.0748**

17 x 121 cm (7" x 48")  
SPC with Underpad  
**HV.CW.ATR.0748.PAD**


17 x 121 cm (7" x 48")  
LVT Glued Down  
**HV.CW.ATR.0748.GLUE**

**All items shown in this document are part of Olympia's stocking program.** For special orders, please contact your Olympia Tile Sales Representative.

**CHIMEWOOD Series - SPC Structure (with and without Underpad)**




SPC Layers	SPC without underpad	SPC with underpad
UV Surface Protection	✓	✓
PVC Embossed Wear Layer (0.5mm)	✓	✓
High Definition Photographic Layer	✓	✓
SPC Core Layer	✓	✓
Glue Layer	✗	✓
Sound Absorbing Layer IXPE (Underpad)	✗	✓



Actual photo of SPC backing without IXPE underpad

SPC without the underpad  
(HV.CW.XXX.0748)  
Total thickness of **4 mm**



Actual photo of SPC backing with IXPE underpad



SPC with IXPE underpad  
(HV.CW.XXX.0748.PAD)  
Total thickness of **5 mm**

**All items shown in this document are part of Olympia's stocking program.** For special orders, please contact your Olympia Tile Sales Representative.

# CHIMEWOOD Series - LVT Glued Down Structure

## Luxury Vinyl Tile Structure

---






New LVT Glued Down  
(HV.CW.XXX.0748.GLUE)  
Total thickness of **2.5 mm**

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.

## CHIMEWOOD Series - SPC/Vinyl

### SPC/VINYL TRIMS (BULLNOSE)

COLOURS  (Please contact your Sales Representative for samples.)	Vinyl Reducer 106.3" x 1.1" (Thickness: 5 mm)	Vinyl TBAR 106.3" x 0.98" (Thickness: 3 mm)	Vinyl Nosing 106.3" x 0.94" (Thickness: 5.5 mm)
	REDUCER (PHM) 28x5mm PVC 	T-BAR (PSPM) 25x3mm PVC 	STAIR NOSING (PFM) 25x5.5mm PVC 
Almond/Bone	HV.CW.AL/BO.REDUCER	HV.CW.AL/BO.TBAR	HV.CW.AL/BO.NOSING
Anthracite	HV.CW.ANT.REDUCER	HV.CW.ANT.TBAR	HV.CW.ANT.NOSING
Beige	HV.CW.BGE.REDUCER	HV.CW.BGE.RTBAR	HV.CW.BGE.NOSING
Brown	HV.CW.BWN.REDUCER	HV.CW.BWN.RTBAR	HV.CW.BWN.NOSING
Espresso	HV.CW.EXP.REDUCER	HV.CW.EXP.TBAR	HV.CW.EXP.NOSING
Ice	HV.CW.ICE.REDUCER	HV.CW.ICE.TBAR	HV.CW.ICE.NOSING
Light Brown	HV.CW.LBW.REDUCER	HV.CW.LBW.TBAR	HV.CW.LBW.NOSING
Light Grey	HV.CW.LGR.REDUCER	HV.CW.LGR.TBAR	HV.CW.LGR.NOSING
Light Taupe	HV.CW.LTP.REDUCER	HV.CW.LTP.TBAR	HV.CW.LTP.NOSING
Silver	HV.CW.SIL.REDUCER	HV.CW.SIL.TBAR	HV.CW.SIL.NOSING
Tan	HV.CW.TAN.REDUCER	HV.CW.TAN.TBAR	HV.CW.TAN.NOSING
Taupe	HV.CW.TPE.REDUCER	HV.CW.TPE.TBAR	HV.CW.TPE.NOSING

\*\*\*SOLD per piece only\*\*\*

All items shown in this document are part of Olympia's stocking program. For special orders, please contact your Olympia Tile Sales Representative.




# CHIMEWOOD Series - SPC/Vinyl

Technical data is supplied by the manufacturer and is subject to change at any time. Olympia does not provide warranties as to the specifications of any product.

For more information and actual samples, please contact your Olympia Tile Sales Representative.

## Colour Variation



## Member



Member of Canada Green Building Council



Member of U.S. Green Building Council

TTMAC ACTTM

The Terrazzo, Tile, and Marble Association of Canada



Ceramic Tile Distributors of America (CTDA)



Marble Institute of America

For information concerning LEED, please contact our Sales Representative

## Examples of Recommended Applications

Residential



Commercial



Indoor



Wall



Floor



## Packing Details

SPC/LVT SIZE	PC/BOX	SF/BOX	LB/BOX	BOX/PAL
<b>7" x 48" Matte</b> (sold per BOX) SPC with or without underpad	11	26.19	43.45	55
<b>LVT Glued Down - 7" x 48" Matte</b> (sold per BOX)	16	38.09	35.20	75
TRIMS (Bullnose)	PC/BOX	LB/PC		
<b>Vinyl Reducer</b> 106.3"x1 .1" (Thickness: 5 mm)	80	0.83	(sold per pc)	
<b>Vinyl TBAR</b> 106.3"x0.98" (Thickness: 3 mm)	100	0.54	(sold per pc)	
<b>Vinyl Nosing</b> 106.3"x0.94" (Thickness: 5.5 mm)	150	0.47	(sold per pc)	

### SURFACE PREPARATION (If Required)

- Minor floor surface repair, patching: Flextile Flextile-Patch
- Floor Levelling: 59 Flex Flo / 5900 Flex Flo Plus Self Levelling Underlayment

*\* For a complete listing of Flextile products and accessories including Sound Control and further setting options, please visit [www.flextile.net](http://www.flextile.net)*

## Maintenance Guide for SPC Flooring

(The information below was provided by the manufacturer)

- Regularly sweep the floor to remove loose dirt or grit as these can cause fine scratches.
- For a thorough clean, a range of pH neutral cleaning products are available. Avoid the use of regular household cleaners and bleach-based detergents. These could make the floor slippery or cause discolouration.
- Always mop up spills as soon as possible, to reduce the risk of slipping and possible staining.
- Use entrance mats to protect against grit and moisture. Ensure they are of non-staining variety (not rubber-backed) to prevent any discolouration of the floor.
- Avoid sliding or dragging furniture or other objects across the floor - use floor protector pads to prevent scratching.
- Use large castor cups or other means to protect against indentation from heavy furniture.
- Maintain room temperature between 65-85°F\* (18-27°C) for optimum performance.
- Do not subject this product to standing water. This this will present a slip hazard.
- Care must be taken when using underfloor heating to avoid damage to the floor caused by localised 'hot spots/ thermal blocks'. Care must also be taken in placing rugs, and items of furniture which do not allow hot air circulation.

*ASTM standards require installation in range 65-85°F; elsewhere the temperature should be 18-27°C.*

*\*\* Where the flooring run exceeds 30 ft. (9 m) in width or length, an expansion joint should be used and repeated thereafter.*





LIGHT BROWN



TAN



ALMOND



BEIGE



ICE



LIGHT TAUPE



BONE



BROWN



EXPRESSO



ANTHRACITE

# CHIMEWOOD SERIES: Board MESPC-01 / Folder FL-601



Colour may vary slightly from images shown. It is highly recommended to view physical samples of tile prior to purchase. Note that shade variations between tiles is characteristic and adds to the inherent beauty of the product. Please visit a showroom near you or request a sample from your Olympia Tile Sales Representative.



It is Olympia Tile's policy to stock all items for sale. Should you require additional sizes, finishes or colours, Olympia has a Special Order Department to help find exactly what you are looking for. Please contact your Olympia Tile Sales Representative for more details. Note that minimum order quantities and longer lead times apply to all special order items.

## the olympiatile+stone® group

### OLYMPIA TILE + STONE INTERNATIONAL INC.

<b>CORPORATE OFFICE AND SHOWROOM TORONTO</b> 1000 Lawrence Ave. West Ontario M6A 1C6 T: 416 785 6666 Toll Free: 1 800 268 1613 F: 416 785 9682	<b>VANCOUVER</b> 8220 Fraser Reach Court Burnaby British Columbia V3N 0G2 T: 604 294 2244 Toll Free: 1 800 663 9441 F: 604 294 0528	<b>EDMONTON</b> 11540 - 163rd Street Alberta T5M 3T3 T: 780 452 5050 Toll Free: 1 800 619 4438 F: 780 451 4391	<b>WINDSOR</b> 4145 7th Concession Rd Ontario N9A 6J3 T: 519 966 2500 Toll Free: 1 877 410 5953 F: 519 969 2407	<b>HAMILTON</b> 75 Milburn Road Ontario L8E 3A3 T: 905 560 5520 Toll Free: 1 800 263 1370 F: 905 578 3593	<b>MONTREAL</b> 555 rue Locke Ville St-Laurent, Quebec H4T 1X7 T: 514 345 8666 Toll Free: 1 800 361 1954 F: 514 345 8825	<b>HALIFAX</b> 55 Akerley Boulevard Dartmouth, Nova Scotia B3B 1M3 T: 902 468 9260 Toll Free: 1 800 565 7790 F: 902 468 0011	<b>SLAB DIVISION</b>  <b>TORONTO</b> 22 Dufflaw Road Toronto, Ontario M6A 2W1 T: 416 785 9555 ext 320 F: 416 781 4521  <b>VAUGHAN</b> 100A Royal Group Crescent Vaughan, Ontario L4H 1X9 T: 905 266 0420 F: 905 266 0423
<b>VAUGHAN</b> 100A Royal Group Crescent Ontario L4H 1X9 T: 905 266 0420 F: 905 266 0423	<b>CALGARY</b> 3308 - 11th Street S.E. Alberta T2G 3G8 T: 403 287 1070 Toll Free: 1 800 322 8182 F: 403 243 1888	<b>WINNIPEG</b> 560 Sheppard Street Manitoba R2K 2P8 T: 204 633 5736 Toll Free: 1 800 665 8017 F: 204 632 4644	<b>LONDON</b> 234 Exeter Road Ontario N6L 1A3 T: 519 652 5011 Toll Free: 1 800 265 4690 F: 519 652 5021	<b>OTTAWA</b> 2480 Don Reid Drive Ontario K1H 1E1 T: 613 736 9570 Toll Free: 1 800 267 1864 F: 613 736 9563	<b>QUEBEC</b> 2405 rue Watt Quebec G1P 3X2 T: 418 657 5557 Toll Free: 1 800 463 5516 F: 418 657 6706		

### OLYMPIA TILE (USA), INC.

<b>CORPORATE OFFICE</b> 701 Berkshire Lane North Minneapolis (Plymouth) Minnesota 55441 T: 763 545 5455 F: 763 542 9830	1808 Whitfield Ave. Sarasota, Florida 34243 T: 941 727 7433 Toll Free: 1 800 785 3484 F: 941 727 7381	<b>MICHIGAN</b> <b>BEAVER TILE &amp; STONE</b> 24700 Drake Rd. Detroit West (Farmington Hills) Michigan 48335 T: 248 476 2333 Toll Free: 1 800 825 0551 F: 248 476 4636	13085 23 Mile Rd. Detroit East (Shelby Township) Michigan 48315 T: 586 991 0780 Toll Free: 1 800 889 5395 F: 586 991 0784	<b>NEBRASKA</b> <b>KATE-LO TILE &amp; STONE</b> 13211 Chandler Road Suite 400 Omaha (La Vista) Nebraska 68138-3703 T: 402 614 9010 Toll Free: 1 877 687 6636 F: 402 614 0989	<b>NEW YORK</b> <b>DOBKIN TILE &amp; STONE</b> 51 Benbro Drive Buffalo (Cheektowaga) New York 14225 T: 716 684 1200 Toll Free: 1 800 759 1414 F: 716 684 1294	<b>WISCONSIN</b> <b>LEXCO TILE &amp; STONE</b> 1616 S. 108th Street Milwaukee Wisconsin 53214 T: 414 771 2900 Toll Free: 1 800 242-2249 F: 414 771 9153	711 S. Fidalgo Street Seattle Washington 98108 T: 206 900 7331 Toll Free: 1 800 827 4093 F: 206 294 5933
<b>FLORIDA</b> <b>ALPHA TILE &amp; STONE</b> 2443 East Meadow Blvd. Tampa, Florida 33619 T: 813 620 9000 Toll Free: 1 800 785 9000 F: 813 621 0606	<b>IOWA</b> <b>KATE-LO TILE &amp; STONE</b> 4251 N.W. Urbandale Dr. Des Moines (Urbandale) Iowa 50322 T: 515 270 4920 Toll Free: 1 800 320 1387 F: 515 270 7035	1700 Stutz Dr., Suite 101 Detroit North (Troy) Michigan 48084 T: 248 649 5552 F: 248 649 0741	1694 Gezon Parkway Grand Rapids, (Wyoming) Michigan 49509 T: 616 534 2883 Toll Free: 1 800 797 0727 F: 616 534 4784	<b>NEW JERSEY</b> <b>NEW JERSEY TILE &amp; STONE</b> 70 Newfield Avenue Raritan Center, Edison New Jersey 08837 T: 732 512 1818 Toll Free: 1 800 513 8453 F: 732 512 1881	48-A Railroad Avenue Albany (Colonie) New York 12205 T: 518 489 6803 Toll Free: 1 800 678 5769 F: 518 489 6806	<b>WASHINGTON</b> <b>THOMPSON TILE &amp; STONE</b> 3900 East Alki Spokane Washington 99208 T: 509 535 2925 Toll Free: 1 800 827 2555 F: 509 534 5218	575 Strander Blvd. Tukwila Washington 98188 T: 206 575 7976 F: 206 575 7484
10996-A Metro Parkway Fort Myers, Florida 33966 T: 239 275 8288 Toll Free: 1 800 785 8288 F: 239 275 0116	<b>NORTH DAKOTA</b> <b>KATE-LO TILE &amp; STONE</b> Resource Centre 300 Northern Pacific Ave. Suite 106 Fargo, North Dakota 58102 T: 701 478 8087 F: 701 478 8084	2780 Enterprise Ct. Saginaw, Michigan 48603 T: 989 790 5851 Toll Free: 1 800 797 0897 F: 989 790 0311	<b>MINNESOTA</b> <b>KATE-LO TILE &amp; STONE</b> 701 Berkshire Lane North Minneapolis (Plymouth) Minnesota 55441 T: 763 545 5455 Toll Free: 1 800 288 3026 F: 763 542 9830	<b>OREGON</b> <b>THOMPSON TILE &amp; STONE</b> 4472 NW Yeon Avenue Portland Oregon 97210 T: 503 225 1273 Toll Free: 1 800 827 4092 F: 503 222 0731			

**FLEXILE LTD.**  
**MANUFACTURING PLANTS**  
[www.flexile.net](http://www.flexile.net)

**TORONTO**  
 111 Royal Group Crescent Unit A | Vaughan | Ontario | L4H 1X9  
 T: 416 255-1111 | Toll Free: 1 800 699 3623 | F: 416 255-1729

**VANCOUVER**  
 2969 Lake City Way | Burnaby | British Columbia | V5A 2T6  
 T: 604 420-4914 | Toll Free: 1 888 236 4486 | F: 604 420-0936

All sales and transactions are subject to our terms and conditions of sale, available on our website.

**olympiatile+stone®**